



## MATERIAL SAFETY DATA SHEET

**Product Name:** Oxy-Klear  
**Product id:** 8849  
**Revision date:** 12/29/08

### 1. Identification of the substance & the company

**Chemical name** Potassium hydrogen peroxymonosulfate sulfate  
[70693-62-8]

**Supplier** NAVA Water Products  
95 MacCorkle Ave. SW, South Charleston, WV 25303 , USA  
Tel: (304) 746-3000

**Emergency Telephone** Chemtrec (800)424-9300 Medical 1-800-420-9236

### 2. Composition / information on ingredients

Components CAS	Weight %	ACGIH-TLV Data	OSHA (PEL) Data
Potassium peroxymonosulfate 10058-23-8	43	Not determined	Not determined
Potassium bisulfate 7646-93-7	23	Not determined	Not determined
Potassium sulfate 7778-80-5	29	Not determined	Not determined
Potassium peroxydisulfate 7727-21-1	3	0.1 mg/m <sup>3</sup>	Not determined
Magnesium carbonate 546-93-0	2	Not determined	Not determined

### 3. Hazards identification

#### Emergency overview

*White granular, free flowing solid, odorless  
Corrosive to eyes and skin Irritating to nose and throat  
May cause sensitization by skin contact. Ingestion may  
cause inflammation and damage to the lining of the  
stomach, resulting in bleeding.*

#### Potential Health Effects:

- Eye Contact

May cause corrosion or ulceration.

- Skin contact

Skin contact with aqueous solutions or the dry powder upon contact with moisture or perspiration may cause skin burns or ulceration; temporary body hair loss may occur in contacted areas. May cause allergic skin reactions in sensitive individuals. Human patch tests with the product diluted in water at concentrations up to 150 ppm did not cause allergic skin reaction.



# MATERIAL SAFETY DATA SHEET

Product Name: Oxy-Klear  
 Product id: 8849  
 Revision date: 12/29/08

- Inhalation May cause nose bleeds and irritation of the upper respiratory passages with coughing and discomfort.
  - Ingestion May cause gastritis possibly progressing to necrosis or hemorrhage.
- HMIS Ratings (Scale 0-4) Health = 3, Fire = 0, Reactivity = 1.

## 4. First-aid measures

- Eye contact** Holding the eyelids apart, flush eyes promptly with copious flowing water for at least 20 minutes. Get medical attention immediately.
- Skin contact** Flood skin with water directing a stream of water under the clothing while it is being removed. Wash skin thoroughly with mild soap and plenty of water for at least 15 minutes. Get medical attention immediately.
- Inhalation** In case of dust inhalation or breathing fumes released from heated material, remove person to fresh air. Keep him quiet and warm. Apply artificial respiration if necessary and get medical attention immediately.
- Ingestion** If swallowed, wash mouth thoroughly with plenty of water and give water to drink. Get medical attention immediately.  
 \*\*\*\*\*  
 NOTE: Never give an unconscious person anything to drink.  
 \*\*\*\*\*
- Note to physician** Corrosive. No specific antidote. In case of ingestion DO NOT induce vomiting. Treat symptomatically and supportively.

## 5. Fire - fighting measures

- Flash point** Not available
- Flammable/Explosion limits** Not available
- Auto-ignition temperature** Not available
- Suitable extinguishing media** Water



## MATERIAL SAFETY DATA SHEET

**Product Name:** Oxy-Klear  
**Product id:** 8849  
**Revision date:** 12/29/08

**Extinguishing media not to be used** Carbon dioxide or other gas-filled fire extinguishers; they have no effect on decomposing persulfates.

**Fire fighting procedure** Cool containers with water spray. In closed stores, provide fire-fighters with self-contained breathing apparatus in positive pressure mode

**Unusual fire and explosion hazards** Improper storage of large masses of "Shock Oxidizer" can trap heat and lead to ignition of combustibles (See section on "Handling and Storage"). Grinding or intensive mixing may cause decomposition with liberation of heat and oxygen; ignition of oxidizable material if present may occur.

### 6. Accidental release measures

**Personal precautions** Wear appropriate safety clothing and eye/face protection (see Section 8)

**Methods for cleaning up** Sweep up and shovel into suitable containers for disposal. Flush liquid spills with low pressure water. (See disposal considerations)

### 7. Handling and storage

**Handling** Avoid bodily contact. Do not breathe dust.

**Storage** Keep away from all sources of ignition. Store in a dry, cool, well-ventilated area away from incompatible materials (see "materials to avoid"). Replace the lid on the plastic pails when they are not in use to prevent contamination and extend shelf life. Pallets of 25 kg bags can be stacked. Leave open space on all sides of each pallet to provide ventilation. See local fire codes for allowable limits. Bulk bags should be stored on pallets; if stacked use pyramid style, no more than 2 pallets high. Closely stacked bags should not exceed a 4 ft. (1.2 m) cube.

### 8. Exposure controls / personal protection

**Manufacturer's TLV-TWA Recommendation** 1 mg/m<sup>3</sup>

**Ventilation requirements** Ventilation must be sufficient to maintain atmospheric concentration below recommended exposure limit.



## MATERIAL SAFETY DATA SHEET

**Product Name:** Oxy-Klear  
**Product id:** 8849  
**Revision date:** 12/29/08

**Personal protective equipment:**

- Respiratory protection** A NIOSH approved air purifying respirator selection with appropriate particulate cartridge or canister. Use a positive pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known or any other circumstances where air purifying respirators may not provide adequate protection.
- Hand protection** Protective gloves
- Eye protection** Safety glasses or coverall chemical splash goggles  
For Exposure to Solutions: Wear coverall chemical splash goggles and face shield
- Skin and body protection** Body covering clothes and boots
- Hygiene measures** Safety shower and eye bath should be provided.  
Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking.

### 9. Physical and chemical properties

**Appearance** White granular, free-flowing solid, odorless  
**Melting point/range** Not applicable (decomposes)  
**Boiling point/range** Not applicable (decomposes)  
**Vapor pressure** Negligible  
**Vapor density** Not volatile  
**Evaporation rate (ether=1)** Not volatile  
**Solubility:**  
**- Solubility in water** 25.6 wt% @ 20°C  
**Specific gravity** 1.1-1.4  
**pH** 1% solution=2.3; 3% solution=2.0; 10% solution=1.6  
**Decomposition temperature** Not available

### 10. Stability and reactivity

**Stability** Stable under recommended storage conditions.

**Materials to avoid** The mixture of this product with compounds containing halides or active halogens can cause the release of respective halogen gas, if moisture is present.

**Decomposition** Decomposes when heated or dampened, releasing oxygen and heat



## MATERIAL SAFETY DATA SHEET

**Product Name:** Oxy-Klear  
**Product id:** 8849  
**Revision date:** 12/29/08

**Conditions to avoid** Do not mix concentrated product with dry or concentrated halogen-containing chemicals.

**Hazardous polymerization** Will not occur

### 11. Toxicological information

**Acute toxicity:**

- Rat oral LD50 200-2000 mg/kg  
- Rabbit dermal LD50 > 11000 mg/kg  
- Rat inhalation LC50 >5 mg/l (4h)  
- Eye irritation (rabbit) Severe irritant  
- Dermal irritation (rabbit) Severe irritant  
Dermal sensitization Not a sensitizer

**Sub-chronic toxicity:** Repeated administration at a combined dosage of 1000/600 mg/kg for 13 weeks caused pathological changes of the stomach, body weight loss, gasping, noisy respiration, and hunched posture. The NOAEL is considered to be 200 mg/kg.

**Chronic toxicity** Not available

**Mutagenicity**

The material did not produce genetic damage in bacterial cell cultures  
The material did produce genetic damage in mammalian cell cultures  
The material did not produce genetic damage in tests on animals  
Some evidence were found for toxicity of bone marrow in female mice

**Carcinogenicity**

Not classified by IARC, OSHA, EPA.  
Not included in NTP 11th Report on Carcinogens

### 12. Ecological information

- 96 Hour-LC50, Fish 53 mg/l (Rainbow trout)

- 48 Hour-EC50, Daphnia magna 3.5 mg/



## MATERIAL SAFETY DATA SHEET

**Product Name:** Oxy-Klear  
**Product id:** 8849  
**Revision date:** 12/29/08

### 13. Disposal considerations

**Waste disposal** Observe all federal, state and local environmental regulations when disposing of this material  
Solutions greater than 3% by weight have a pH < 2.0, and may be a RCRA hazardous waste upon disposal due to the acidic pH characteristic of the solution. If approved, flush to sewer or waste treatment plant. Large quantities should be neutralized with soda ash

### 14. Transportation information

**UN No.** 3260

**DOT** Proper shipping name: Corrosive Solid, acidic, inorganic, n.o.s.  
Class: 8 - Corrosives  
Label: CORROSIVE (8)  
Packing Group: II

**IMO** Proper shipping name: Corrosive Solid, acidic, inorganic, n.o.s.  
Class: 8 - Corrosives  
Label: CORROSIVE (8)  
Packing Group: II

**ICAO/IATA** Proper shipping name: Corrosive Solid, acidic, inorganic, n.o.s.  
Class: 8  
Hazard Label (s): Corrosive  
Packing group: II

### 15. Regulatory information

**USA** Reported in the EPA TSCA Inventory

**Sara (311, 312) hazard class** This product is categorized as an acute health hazard.

**- WHMIS hazard class** C oxidizing materials  
D2B toxic materials  
E corrosive material



## MATERIAL SAFETY DATA SHEET

---

**Product Name:** Oxy-Klear  
**Product id:** 8849  
**Revision date:** 12/29/08

---

### 16. Other information

**This data sheet contains changes from the previous version in section(s)**  
None

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, NAVA Water Products makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will NAVA Water Products be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

*In an event of discrepancy between the contents of this MSDS and the English version of it, the English version shall prevail.*

**End of safety data sheet**